

## **EXPECTED WEED RESPONSE TO PASTURE HERBICIDES: LATE-SPRING TO SUMMER APPLICATIONS**

	2,4-D Ester	2,4-D Amine	ForeFront R&P	Grazon P+D*	Milestone	Redeem R&P	Weedmaster
Beggarweed	3	2	8	8	8	----	4
Bitter sneezeweed	8	7	9	9	9	----	8
Brambles	4	2	4	6	3	6	5
Chicory	5	4	----	8	----	8	8
Common cocklebur	9	9	9	9	9	9	9
Common lambsquarters	9	9	9	9	9	8	9
Cudweed	3	2	9	9	9	----	6
Dogfennel	6	6	7	8	4	7	7
Goldenrod	6	4	5	8	4	6	7
Horsenettle	3	2	8	9	8	5	4
Jimsonweed	8	7	8	4	8	9	8
Maypop passionflower	0	0	0	0	0	0	0
Milkweed	3	2	----	5	3	----	6
Oxeye daisy	5	4	9	8	9	----	8
Pigweeds	9	9	8	7	8	4	9
Pokeweed	5	4	8	4	8	2	6
Prickly pear	0	0	0	6	0	0	0
Prickly sida	4	4	8	5	8	----	5
Purple (perilla) mint	8	7	8	7	8	----	8
Ragweeds	9	8	9	9	9	9	9
Smartweed	7	5	9	----	9	----	8
Spiny amaranth	9	7	9	7	8	4	9
Sumpweed	9	8	----	7	----	8	9
Tall ironweed	7	6	8	6	8	6	7
Trumpet creeper	0	0	0	0	0	0	0
White heath aster	7	5	----	8	----	----	7
White snakeroot	6	6	9	8	9	----	7
Wild carrot	7	7	8	8	6	8	7
Wingstem	8	7	9	8	9	----	8

*Key to Response Ratings: 0=No control; 10=100% Control; -- = Data not available*

*Ratings are based on labeled rates of each herbicide, applied at the optimum time for each weed.*

\*For use only in approved TN counties.